



Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

Date of greatest number reported: Diphtheria, January 28, 84 cases; scarlet fever, January 29, 407 cases; measles, January 29, 42 cases.

Deaths from scarlet fever and diphtheria by weeks.

Date.	Scarlet fever.	Diphtheria.
December 21.....	115	21
December 28.....	8	17
January 1.....	13	15
January 11.....		
January 18.....	18	17
January 25.....	22	16
February 1.....		
February 8.....	44	15
February 15.....	39	11
February 22.....	27	20
March 1.....	23	5

Report from Vanceboro, Me.—Smallpox on Canadian border—Train inspection.

Acting Assistant Surgeon Young reports, March 4, as follows:

Week ended March 2, 1907. Inspected 18 trains carrying about 950 passengers; vaccinated 48; accepted official certificates of vaccination and nonexposure to infection in the case of 32.

STATISTICAL REPORTS OF MORBIDITY AND MORTALITY, STATES AND CITIES OF THE UNITED STATES—UNTABULATED.

CONNECTICUT—*Meridian*.—Month of February, 1907. Estimated population, 28,695. Total number of deaths, 40, including 5 from tuberculosis. One case of scarlet fever reported.

FLORIDA.—Reports to the State board of health for the week ended February 23, 1907, show as follows: Diphtheria—*Jacksonville*, 2 cases. Enteric fever—*Jacksonville*, 2 cases; *Tampa*, 12 cases; *Fernandina*, 1 case; *Lakeland*, 1 case; *Daytona Beach*, 1 case. Smallpox—*Anthony*, 1 case. Tuberculosis—1 case in each of the following towns: *Jacksonville*, *Tallahassee*, *Narcoossee*, and *Palatka*. Week ended March 2, 1907. Diphtheria—*St. Petersburg* and *Tampa*, each 1 case. Enteric fever—*Jacksonville*, 11 cases; *Pensacola*, 2 cases; *Plant City*, 3 cases; *Tampa*, 5 cases; *Apalachicola*, *Fort Myers*, and *Arcadia*, each 1 case. Smallpox—*Jacksonville*, 1 case. Tuberculosis—*Jacksonville* and *Tampa*, each 1 case.

ILLINOIS—*Quincy*.—Month of February, 1907. Estimated population, 43,000. Total number of deaths, 53, including diphtheria 1, enteric fever 2, and 8 from tuberculosis. Cases of contagious diseases reported: Diphtheria 5, enteric fever 4, measles 8, and scarlet fever 1.

INDIANA—*Anderson*.—Month of February, 1907. Estimated population, 25,398. Total number of deaths, 30, including diphtheria 1,

scarlet fever 1, and 4 from tuberculosis. Cases of contagious diseases reported: Diphtheria 4, scarlet fever 4, and tuberculosis 4.

Michigan City.—Month of February, 1907. Estimated population, 23,000. Total number of deaths, 33, including enteric fever 2 and 2 from tuberculosis. Cases of contagious diseases reported: Diphtheria 2, enteric fever 28, measles 2, smallpox 1, and tuberculosis 2.

IOWA—Cedar Rapids.—Month of February, 1907. Estimated population, 30,000. Total number of deaths, 37, including enteric fever 1 and 1 from tuberculosis. Cases of contagious diseases reported: Measles 1, scarlet fever 4, and smallpox 1.

Davenport.—Two weeks ended February 28, 1907. Estimated population, 42,000. Total number of deaths not reported. Cases of contagious diseases reported: Diphtheria 3, scarlet fever 11, and smallpox 3.

MASSACHUSETTS—Newton.—Month of February, 1907. Estimated population, 37,550. Total number of deaths, 36. Cases of contagious diseases reported: Diphtheria 13, enteric fever 1, scarlet fever 5, and tuberculosis 6.

MINNESOTA.—Month of December, 1906. Estimated population, 1,979,658. Reports to the State board of health show as follows: Total number of deaths, 1,489, including diphtheria 29, enteric fever 35, measles 4, scarlet fever 5, whooping cough 9, and 163 from tuberculosis. Deaths reported from State institutions during the month numbered 39, including enteric fever 1 and 11 from phthisis pulmonalis.

St. Paul.—Month of January, 1907. Estimated population, 210,000. Total number of deaths reported to the department of health, 187; including diphtheria 2, enteric fever 3, scarlet fever 1, and 30 from tuberculosis. Cases of contagious diseases reported: Diphtheria 66, scarlet fever 38.

MONTANA—Helena.—Month of February, 1907. Estimated population, 21,000. Total number of deaths not reported. No deaths from contagious diseases. Cases of contagious diseases reported: Diphtheria 1, measles 10, and scarlet fever 1.

NEW HAMPSHIRE—Concord.—Month of February, 1907. Estimated population, 20,000. Total number of deaths, 37, including 4 from tuberculosis. Cases of contagious diseases reported: Enteric fever 2, measles 4, scarlet fever 6, and tuberculosis 4.

NEW JERSEY—Perth Amboy.—Month of February, 1907. Estimated population, 26,000. Total number of deaths not reported. Six cases of diphtheria, 3 of measles, and 22 of scarlet fever reported.

NEW YORK—Saratoga Springs.—Month of February, 1907. Estimated population, 11,822. Total number of deaths, 25. Two deaths

from tuberculosis reported. Cases of contagious diseases reported: Diphtheria 1, enteric fever 1, measles 1, whooping cough 1, and tuberculosis 3.

NORTH CAROLINA—*Charlotte*.—Month of February, 1907. Estimated population, 40,000. Total number of deaths, 41, including 6 from tuberculosis. Cases of contagious diseases reported: Diphtheria 1, measles 12, scarlet fever 1, and smallpox 1.

NORTH DAKOTA.—Month of August, 1906. Reports to the State board of health from 39 counties show as follows: Total number of deaths, 112, including diphtheria 3, enteric fever 3, whooping cough 1, and 6 from tuberculosis. Cases of contagious diseases reported: Diphtheria 32, enteric fever 19, measles 14, scarlet fever 6, smallpox 8, whooping cough 1, and tuberculosis 8. Month of September, 1906. Total number of deaths, 168, including diphtheria 5, enteric fever 5, smallpox 1, whooping cough 1, and 15 from tuberculosis. Cases of contagious diseases reported: Diphtheria 28, enteric fever 35, measles 2, scarlet fever 5, smallpox 4, whooping cough 7, and tuberculosis 16. Month of October, 1906. Total number of deaths, 173, including diphtheria 3, enteric fever 10, scarlet fever 2, whooping cough 4, and 7 from tuberculosis. Cases of contagious diseases reported: Diphtheria 31, enteric fever 91, scarlet fever 16, smallpox 14, whooping cough 75, and tuberculosis 11.

OHIO—*Columbus*.—Month of January, 1907. Estimated population, 185,000. Total number of deaths, 208 (32 nonresidents), including diphtheria 3, enteric fever 5, scarlet fever 1, and 41 from tuberculosis. Cases of contagious diseases reported: Diphtheria 30, enteric fever 34, measles 13, scarlet fever 12, whooping cough 5, and tuberculosis 16.

Month of February, 1907. Total number of deaths, 247 (33 nonresidents), including enteric fever 4, whooping cough 2, and 35 from tuberculosis. Cases of contagious diseases reported: Diphtheria 11, enteric fever 15, measles 10, scarlet fever 14, smallpox 1, whooping cough 3, and tuberculosis 22.

Zanesville.—Month of February, 1907. Estimated population, 26,000. Total number of deaths, 52, including enteric fever 3 and 9 from tuberculosis. Cases of contagious diseases reported: Diphtheria 5 and enteric fever 20.

OREGON—*Portland*.—Month of January, 1907. Estimated population, 175,000. Total number of deaths, 196, including diphtheria 1, enteric fever 4, and 22 from tuberculosis. Cases of contagious diseases reported: Diphtheria 13, enteric fever 9 (brought to city for treatment), measles 7, scarlet fever 9, and smallpox 2.

PENNSYLVANIA—*Dunmore*.—Month of February, 1907. Estimated population, 17,500. Total number of deaths, 33, including 4 from tuberculosis. Cases of contagious diseases reported: Enteric fever 6, measles 4, scarlet fever 9, and tuberculosis 4.

Highspire.—Month of February, 1907. Estimated population, 1,500. No deaths reported. Two case of enteric fever, 14 cases of measles, and 2 cases of tuberculosis reported.

New Castle.—Month of February, 1907. Estimated population, 35,500. Total number of deaths, 58, including enteric fever 4, and 2 from tuberculosis. Cases of contagious diseases reported: Diphtheria 19, enteric fever 13, scarlet fever 1, and tuberculosis 2.

SOUTH CAROLINA.—Reports to the State board of health from 18 towns, for the month of January, 1907, show as follows: Total number of deaths, 35, including measles 1, whooping cough 1, and 10 from tuberculosis.

UTAH.—Month of January, 1907. Reports to the State board of health from 27 counties, having an estimated population of 315,966, show as follows: Total number of deaths, 402, including diphtheria 9, enteric fever 4, scarlet fever 1, whooping cough 4, and 9 from tuberculosis. Cases of contagious diseases reported: Diphtheria 52, enteric fever 24, measles 65, scarlet fever 49, smallpox 51, whooping cough 95, tuberculosis 16 (incomplete).

Ogden.—Month of February, 1907. Estimated population, 25,000. Total number of deaths, 25. No deaths from contagious diseases. Cases of contagious diseases reported: Diphtheria 3, scarlet fever 2, and whooping cough 1.

WISCONSIN.—Estimated population, 2,228,969. Reports to the Bureau of Vital Statistics during the 9 months ended September 30, 1906, show as follows: Total number of deaths, 40,418, including diphtheria 573, enteric fever 574, measles 214, scarlet fever 130, smallpox 21, whooping cough 303, and 3,779 from tuberculosis.

Racine.—Month of January, 1907. Estimated population, 35,000. Total number of deaths, 43, including enteric fever 1, whooping cough 1, and 6 from tuberculosis. Cases of contagious diseases reported: Diphtheria 2, scarlet fever 4. Month of February, 1907. Total number of deaths, 49, including diphtheria 1, enteric fever 1, whooping cough 3, and 3 from tuberculosis. Cases of contagious diseases reported: Diphtheria 4, scarlet fever 4.